

30-9

Work Order ID 154816

154816

Page 1

Thursday, December 22, 2016 7:16:53 AM

Item ID: 647.7711

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Strut Tube

Start Date: 1/4/2017 Start Qty: 4.00

4
4

Cust Item ID:

Required Date: 1/12/2017 Req'd Qty: 4.00

Customer:

Reference:

Approvals: Process Plan: DAS 21 9-89 Date: DEC 22 2016
QC: _____ Date: _____

Tooling:

Date: _____

SPC (Y/N): _____

Date: _____

Run Start

NR1

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
----------	--------------

647.7700	A2
----------	----

110

0.00

110

Mill Conv

Memo

0.00

Conventional Milling Machine

1- CUT AS PER DWG
2- Mill end of tube as per dwg
3- DEBURR AS PER DWG

4 0 DAS 32 9-89
17-01-08

120

QC6- Inspect dimensions to drawing

0.00

120

QC

Memo

0.00

Quality Control

④ 17-01-05 DAS 9 9-89

130

Identify as per dwg & Stock Location: VAC

0.00

130

Packaging

Memo

0.00

Packaging

IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV

4 17-01-09
jm

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval	
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER :						
Misidentified ☐	☐	Past Due ☐							

Work Order ID 154816

Thursday, December 22, 2016 7:16:53 AM

154816

Page 2

Item ID: 647.7711 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Strut Tube
Start Date: 1/4/2017 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 1/12/2017 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
140	QC21- Final Inspection - Work Order Release	0.00				DAS 21 9-89			
140									
QC	Memo	0.00							
Quality Control									

JAN 10 2017

mf
10-1-09

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>				Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																		
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																		
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																		
Large Fab ☐	Composite ☐	Supplier ☐																			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval																	
Description Work Order Deviation		Disposition																			
				Completed By																	
				Lead hand / Supervisor Approval Verification																	
				QC / QA Coordinator Approval																	
<table style="width:100%; border: none;"> <tr> <td style="width:25%; vertical-align: top;"> Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ </td> <td style="width:25%; vertical-align: top;"> ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due </td> <td style="width:25%; vertical-align: top;"> ☐ Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter </td> <td style="width:25%; vertical-align: top;"> FAULT CATEGORY ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes </td> <td style="width:25%; vertical-align: top;"> ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center </td> <td style="width:25%; vertical-align: top;"> ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence </td> </tr> <tr> <td colspan="4" style="vertical-align: top;"> ☐ OTHER : _____ </td> </tr> </table>					Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due	☐ Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter	FAULT CATEGORY ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes	☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center	☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence	☐ OTHER : _____										
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due	☐ Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter	FAULT CATEGORY ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes	☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center	☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence																
☐ OTHER : _____																					

Picklist Print

Thursday, December 22, 2016 7:16:53 AM

Page 1
1

Work Order ID: 154816

154816

Parent Item: 647.7711

647 7711

Parent Item Name: Strut Tube

Start Date: 1/4/2017

Required Date: 1/12/2017

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP REV:A 12.11.06 NEW ISSUE DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M4130NT0.500W.083		Purchased	No			110	f	8.9821	1.816	7.646316			DAS
M4130NT0 500W 083									**			17-01-05	32
4130 RD tube .500 x .083W													

Location

Loc Qty

Loc Code

MAT032

8.9821

M136243

0.0001

M136323

8.982

7136493

11-058

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval	
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER : _____						
Misidentified ☐	☐	Past Due ☐							




APICAL INDUSTRIES, INC.
dba DART AEROSPACE

ENGINEERING CHANGE NOTICE NO. 05397		SHEET 1 OF 1	
DWG NO. 647.7700	REV: A	PREPARED BY T. CROSS	DATE: 05/02/16
EFFECT ON DWG ☐ INC. ☒ UNINC.			
DWG TITLE: STRUT ASSY			
APPROVED BY: ENGR [Signature]	MFG [Signature]	QC [Signature]	EFF: [Signature]
REASON: REVISED DIMENSION			CURRENT ORDER
TRANSACTION CODES (TC): A-ADD C-CREATE R-REVISE D-DELETE			ECR: 16-028
			ACTION LIST: 1.

SHEET 2, ZONE D4 IS:

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 154816 MJS
16-12-22



DOCUMENTS EFFECTED:	CHANGE CATEGORY	DER REVIEW REQUIRED
☐ PATTERN ☐ MDL ☐ INSTALL INSTRU ☐ ICA ☐ BOM	☐ MAJOR ☒ MINOR	☐ YES ☒ NO



APICAL INDUSTRIES, INC.
dba DART AEROSPACE

ENGINEERING CHANGE NOTICE NO.

05110

SHEET 1 OF 1

DWG NO. 647.7700

REV: A

PREPARED
BY

A. QUAN

DATE: 08/21/15

EFFECT ON DWG

☐ INC. ☒ UNINC.

DWG TITLE: STRUT ASSY

APPROVED BY:

ENGR

MFG

QC

EFF.

CURRENT ORDER

TRANSACTION CODES (TC):

A-ADD
R-REVISE

C-CREATE
D-DELETE

REASON: REVISED FINISH CALLOUT AS PER ECR 15-209

SHEET 1, NOTES IS:

ACTION: UPDATE MO & WO

NOTES:

- 1 MATERIAL: 4130 STEEL PER AMS-T-6736, .50" OD, .083" WALL THK.
- 2 MATERIAL: 4130 STEEL PER AMS-T-6736, .375" OD, .075" WALL THK.
- 3 MATERIAL: 4130 STEEL PER AMS-T-6736, .324" OD.
- 4 FINISH: PRIME IAW MIL-P-2337J TYPE I CLASS N; 1-2 MIL MAX
5. DEBURR AND BREAK ALL SHARP EDGES
6. IDENTIFY IAW MPP-120.
- 7 WELD IAW MIL-STD-2219. TIG WELD WITH FILLER ROD
- 8 FINISH: CAD PLATE IAW QQ-P-416F CLASS I TYPE II
- 9 MASK THREAD PRIOR TO FINISH

F/N	TC	PART NUMBER	QTY	DESCRIPTION	MATERIAL/SPECIFICATION
DOCUMENTS EFFECTED: ☐ MDL ☐ INSTALL INSTRUCTIONS ☐ ICA ☐ FMS ☐ BOM					
CHANGE CATEGORY				DER REVIEW REQUIRED	
☐ MAJOR ☐ MINOR				☐ YES ☐ NO	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

NOTES:

1. MATERIAL: 4130 STEEL PER AMS-T-6736, .50" OD, .083" WALL THK.
2. MATERIAL: 4130 STEEL PER AMS-T-6736, .375" OD, .075" WALL THK.
3. MATERIAL: 4130 STEEL PER AMS-T-6736, .324" OD.
4. FINISH: PRIME IAW MIL-P-2337J TYPE I CLASS N; 1-2 MIL MAX
5. DEBURR AND BREAK ALL SHARP EDGES
6. IDENTIFY IAW MPP-120.
7. WELD IAW MIL-STD-2219, TIG WELD WITH FILLER ROD
8. FINISH: CAD PLATE IAW MIL-C-5541 CLASS 1A
9. MASK THREAD PRIOR TO FINISH

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1	LAST PROTOTYPE REVISION 100		NIC
2	INITIAL RELEASE	10/20/08	P. BRAVO
3	INCORPORATED ECN (M1)	11/13/14	P. BRAVO


647.7701

647.7703

647.7702


UNINCORPORATED ECN(s)

05110, 05397,



1	2	3	4	5	647.7714	STRUT TUBE	△	
1	1	1	4	647.7713	STRUT THREAD	△	△	
1	1	1	3	647.7712	STRUT TUBE	△		
			2	647.7711	STRUT TUBE	△		
			1	647.7710	STRUT TUBE	△		
				647.7703	STRUT ASSY		△△	
				647.7702	STRUT ASSY		△△	
				647.7701	STRUT ASSY		△△	
7703	7702	7701	FINO #	PART #	DESCRIPTION	MAT'L	SPEC.	
QTY				PARTS LIST				
NEXT ASSY (S)				ORIGINAL DATA				
647.7300				11/03/08				
646.4000				DRAWN BY: J. JACKSON				
				CHECKED BY: D. BARNER				
				DRAWING APPROVAL: P. BRAVO				
				11/13/14				
				CONTRACT NO.				
				UNLESS OTHERWISE SPECIFIED				
				DIMENSIONS ARE IN INCHES				
				TOLERANCES ARE:				
				1 PLACE DECIMAL ±.01				
				2 PLACE DECIMAL ±.005				
				ANGLES ±.5°				
				APICAL INDUSTRIES				
				2608 TEMPLE HEIGHTS DR.				
				OCEANSIDE, CA. 92056-3512 (760)724-5300				
				STRUT ASSY				
				647.7700				
				SCALE: NONE				
				SHEET 1 OF 2				

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.



ORIGINAL DATE 11/03/00		APICAL INDUSTRIES	
DRAWN BY J. JACKSON		2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760) 724-5300	
DRAWING APPROVAL P. BRAYO		STRUT ASSY	
CONTRACT NO.		REV.	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES FRACTIONS ARE 2 PLACE DECIMALS ±.01 ANGLES ±.5°		REV. 1 B 07/02/06	A
SCALE: NONE		SHEET 2 OF 2	